GenSet

MG 10000 S-RW MG 10/6



Compact

High performance

Lightweight

Silenced generator equipped with Raywin 3000 RPM engine.
Designed for automatic starting via a convenient connector located on the instrument panel.
The central lifting hook allows a practical handling.

Stage V

WATTER

Forhandler / Distributor / Distribuidor / Återförsäljare:
Watter ApS · Torvet 21, DK-6700 Esbjerg · CVR 32340997 · +45 7026 1600 · info@watter.dk · watter.dk

MG 10000 S-RW MG 10/6 STANDARD EQUIPMENT



MG 10000 S-RW

Voltmeter
Hourmeter
Earth leakage circuit breaker (ELCB)
Emergency stop button
Starter battery
1 x 32A, 230V single-phase socket
1 x 16A, 230V single-phase socket
Power output protection
Fitted for AMF/ATS or Remote control operation
Central lifting hook

MG 10/6 S-RW

Voltmeter
Hourmeter
Earth leakage circuit breaker (ELCB)
Emergency stop button
Starter battery
1 x 16 A, 400 V three-phase socket
1 x 32A, 230V single-phase socket
1 x 16A, 230V single-phase socket
Power output protection
Fitted for AMF/ATS or Remote control operation
Reinforced single-phase output power selector
Central lifting hook

DIMENSIONS IN MM



MG 10000 S-RW MG 10/6 TECHNICAL DATA

	MG 10000 S-RW	MG 10/6 S-RW
Noise level Lwa	97 (72 dB a 7 mt)	
AC generator-50Hz	Synchronous	
Three-phase max. power	-	10 kVA - 400 V
Single-phase max. power	9,4 kVA - 230 V	6,6 kVA - 230 V
Power Factor	cos ϕ 0,8	
Raywin engine	RSAD 292 3000 rpm*	
Fuel	Diesel	
No. cylinders	2	
Power	18,8 HP (14 kWm)	
Displacement	997 cm3	
Cooling system	Air	
Starting system	Electric	
Fuel tank capacity	10,5 lt	
Fuel consumption @75%	3 lt/h	
Insulation Class	H	
Ambient temperature	40 °C	
Altitude	1000 mt	
Degree of protection	IP 23	
Dimensions (LxWxH)	1000x560x715 mm	
Dry weight	210 kg	

Compliant with Regulation (EU) 2016/1628 on emissions for mobile machinery.

*Stage V

WATTER

Forhandler / Distributor / Distribuidor / Återförsäljare:
Watter ApS · Torvet 21, DK-6700 Esbjerg · CVR 32340997 · +45 7026 1600 · info@watter.dk · watter.dk

MG 10000 S-RW MG 10/6 CUSTOMIZATIONS

	MG 10000 S-RW MG 10/6 S-RW
Options on request	· Versions with different voltages · Automatic voltage regulator (AVR)
Accessories	·1- AMF-ATS automatic starting panel ·2- Remote control ·3- 2 wheels trolley with handles

1



2



3



NOTE